



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,593	09/15/2003	Shinichi Yasuda	242823US2RD	8075
22850	7590	08/18/2008	EXAMINER	
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C.			DO, CHAT C	
1940 DUKE STREET				
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			2193	
			NOTIFICATION DATE	DELIVERY MODE
			08/18/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Office Action Summary	Application No. 10/661,593	Applicant(s) YASUDA ET AL.	
	Examiner CHAT C. DO	Art Unit 2193	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 April 2008 and 28 May 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,4-8,10-20 and 22-28 is/are pending in the application.
- 4a) Of the above claim(s) 11-20 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,4-8,10 and 22-28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>04/16/2008</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This communication is responsive to Amendment filed 05/28/2008 and 04/16/2008.
2. Claims 1-2, 4-8, 10-20 and 22-28 are pending in this application. Claims 1, 11 and 22 are independent claims. In Amendment, claims 3, 9 and 21 are cancelled; claims 22-28 are added; and claims 11-20 are withdrawn from consideration. This Office Action is made non-final after a RCE filed 05/28/2008.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-2, 7-8 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chevalier (U.S. 3,866,029) in view of Tenemasa et al. ("Physical Random-Number Generator Using Schottky MOSFET").

Re claim 1, Chevalier discloses in Figure 1 a random number generator (e.g. output of Figure 1 and abstract as general concept of random number generator architecture), comprising: a counter circuit (e.g. binary counter 20 in Figure 1) configured to be supplied with a clock signal and a random signal (e.g. output of clock input 34 and random bits 11 respectively in Figure 1) and to provide a count value of the clock signal with respect to a transition of the random signal (e.g. output of component 20 as Ci in

Figure 1); and a first latch circuit (e.g. component 21 in Figure 1 as latch component) configured to latch the count value with respect to the transition of the random signal, and to output a first random number signal (e.g. output of component 30 as random number in Figure 1).

Chevalier fails to disclose the counter circuit is a one-bit counter, the count value of which alternates between a high level and a low level every one count, the counter circuit having a clock enable input through which said random signal is supplied.

However, Tenemasa et al. disclose in Figure 4 the counter circuit is a one-bit counter, the count value of which alternates between a high level and a low level every one count, the counter circuit having a clock enable input through which said random signal is supplied (e.g. Figure 4 and paragraph right after section "3. Circuit and Operation" in page 96).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the counter circuit is a one-bit counter, the count value of which alternates between a high level and a low level every one count, the counter circuit having a clock enable input through which said random signal is supplied as seen in Tenemasa et al.'s invention into Chevalier's invention because it would enable to simplify and compact the circuit for generating random number (e.g. section "1. Introduction" in page 96).

Re claim 2, Chevalier further discloses in Figure 1 the random signal manifests a characteristic in which power spectrum intensity varies with an increase of frequency (e.g. inherently property of random signal wherein as increasing frequency of random signal, the power spectrum intensity of the random signal must decrease respect to the

frequency of the random signal, and Figure 1 with component 11 as random bits generator adjustment).

Re claim 7, Chevalier further discloses in Figure 1 a pulse counter is accessible by the clock enable input, and the output of the pulse counter becomes the random signal (e.g. Figure 1 with clock input 34 and random bits 11).

Re claim 8, Chevalier further discloses in Figure 1 an inverter connected between the clock enable input side and a clock input side of the first latch circuit (e.g. load/enb signal in Figure 1).

Re claim 10, Chevalier fails to disclose in Figure 1 the first latch circuit is a D type flip-flop. However, D type flip-flop is well known and widely used in the technology of art as the examiner takes an Official notice.

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the first latch circuit is a D type flip-flop into Chevalier's latch because it would enable to capture/output the signal at the moment the clock goes high.

5. Claims 4-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chevalier (U.S. 3,866,029) in view of Tenemasa et al. ("Physical Random-Number Generator Using Schottky MOSFET"), as applied to claim 1 above, and in further view of Kent (U.S. 5,222,142).

Re claim 4, Chevalier in view of Tenemasa et al. fail to disclose in Figure 1 a second latch circuit configured to receive a random number acquisition clock signal having a constant period and the first random number signal, to latch the first random

number signal with respect to a transition of the random number acquisition clock signal, and to provide a second random number signal. However, Kent discloses in Figure 5 a second latch circuit (e.g. component 48/16 in Figure 5) configured to receive a random number acquisition clock signal having a constant period (e.g. clock signal) and the first random number signal (e.g. output of 46 in Figure 5), to latch the first random number signal with respect to a transition of the random number acquisition clock signal, and to provide a second random number signal (e.g. output of component 48/16 in Figure 5).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add a second latch circuit configured to receive a random number acquisition clock signal having a constant period and the first random number signal, to latch the first random number signal with respect to a transition of the random number acquisition clock signal, and to provide a second random number signal as seen in Kent's Figure 5 into Chevalier in view of Tenemasa et al.'s invention because it would enable to improve the randomized number (e.g. col. 2 lines 37-52).

Re claim 5, Chevalier further discloses in Figure 1 the frequency of the random number acquisition clock is lower than the frequency of the random signal (e.g. Figure 1).

Re claim 6, Chevalier in view of Tenemasa et al. and in further view of Kent fail to disclose in Figure 1 the transition of the random number acquisition clock signal represents a leading edge of the random number acquisition clock signal when the random number acquisition clock signal changes from a low level to a high level. However, the examiner takes an Official notice that the transition occurs at the raising level by clock signal is well known in the art of technology.

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the transition of the random number acquisition clock signal represents a leading edge of the random number acquisition clock signal when the random number acquisition clock signal changes from a low level to a high level into Chevalier in view of Tenemasa et al. and in further view of Kent's latch because it would enable to capture/output the signal at the moment the clock goes high.

6. Claims 22 and 26-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chevalier (U.S. 3,866,029) in view of Horowitz Paul ("The Art of Electronics").

Re claim 22, Chevalier discloses in Figure 1 a random number generator (e.g. output of Figure 1 and abstract as general concept of random number generator architecture), comprising: a counter circuit (e.g. binary counter 20 in Figure 1) configured to be supplied with a clock signal and a random signal (e.g. output of clock input 34 and random bits 11 respectively in Figure 1) and to provide a count value of the clock signal with respect to a transition of the random signal (e.g. output of component 20 as Ci in Figure 1); and a first latch circuit (e.g. component 21 in Figure 1 as latch component) configured to latch the count value with respect to the transition of the random signal, and to output a first random number signal (e.g. output of component 30 as random number in Figure 1).

Chevalier fails to disclose explicitly in Figure 1 a source for the random signal adapted to produce said random signal having a characteristic in which power spectrum intensity decreases with increasing frequency, wherein the source comprises an

oscillation circuit using a delay time of a CR delay circuit, and wherein random variations of the resistance and capacitor values of the CR delay circuit are used for generating the random signal. However, Horowitz Paul discloses in the article a source for the random signal adapted to produce said random signal having a characteristic in which power spectrum intensity decreases with increasing frequency (e.g. lines 11-21 right column in page 305), wherein the source comprises an oscillation circuit using a delay time of a CR delay circuit, and wherein random variations of the resistance and capacitor values of the CR delay circuit are used for generating the random signal (e.g. Figure 7.47 in page 305).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add a source for the random signal adapted to produce said random signal having a characteristic in which power spectrum intensity decreases with increasing frequency, wherein the source comprises an oscillation circuit using a delay time of a CR delay circuit, and wherein random variations of the resistance and capacitor values of the CR delay circuit are used for generating the random signal as seen in Horowitz Paul's invention into Chevalier's invention because it would enable to generating high frequency random number source (e.g. lines 11-21 right column in page 305 and Figure 7.47 in page 305).

Re claim 26, it has similar limitations cited in claim 7. Thus, claim 26 is also rejected under the same rationale as cited in the rejection of rejected claim 7.

Re claim 27, it has similar limitations cited in claim 8. Thus, claim 27 is also rejected under the same rationale as cited in the rejection of rejected claim 8.

Re claim 28, it has similar limitations cited in claim 10. Thus, claim 28 is also rejected under the same rationale as cited in the rejection of rejected claim 10.

7. Claims 23-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chevalier (U.S. 3,866,029) in view of Horowitz Paul ("The Art of Electronics"), as applied to claim 22 above, and in further view of Kent (U.S. 5,222,142).

Re claim 23, Chevalier in view of Horowitz Paul fail to disclose in Figure 1 a second latch circuit configured to receive a random number acquisition clock signal having a constant period and the first random number signal, to latch the first random number signal with respect to a transition of the random number acquisition clock signal, and to provide a second random number signal. However, Kent discloses in Figure 5 a second latch circuit (e.g. component 48/16 in Figure 5) configured to receive a random number acquisition clock signal having a constant period (e.g. clock signal) and the first random number signal (e.g. output of 46 in Figure 5), to latch the first random number signal with respect to a transition of the random number acquisition clock signal, and to provide a second random number signal (e.g. output of component 48/16 in Figure 5).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add a second latch circuit configured to receive a random number acquisition clock signal having a constant period and the first random number signal, to latch the first random number signal with respect to a transition of the random number acquisition clock signal, and to provide a second random number signal

as seen in Kent's Figure 5 into Chevalier in view of Horowitz Paul's invention because it would enable to improve the randomized number (e.g. col. 2 lines 37-52).

Re claim 24, Chevalier further discloses in Figure 1 the frequency of the random number acquisition clock is lower than the frequency of the random signal (e.g. Figure 1).

Re claim 25, Chevalier in view of Horowitz Paul and in further view of Kent fail to disclose in Figure 1 the transition of the random number acquisition clock signal represents a leading edge of the random number acquisition clock signal when the random number acquisition clock signal changes from a low level to a high level. However, the examiner takes an Official notice that the transition occurs at the raising level by clock signal is well known in the art of technology.

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the transition of the random number acquisition clock signal represents a leading edge of the random number acquisition clock signal when the random number acquisition clock signal changes from a low level to a high level into Chevalier in view of Horowitz Paul and in further view of Kent's latch because it would enable to capture/output the signal at the moment the clock goes high.

Response to Arguments

8. Applicant's arguments with respect to claims 1-2, 4-8, 10 and 22-28 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- a. U.S. Patent No. 6,404,246 to Estakhri et al. disclose a precision clock synthesizer using RC oscillator and calibration circuit.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHAT C. DO whose telephone number is (571)272-3721. The examiner can normally be reached on Tue-Fri 9:00AM to 7:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lewis Bullock can be reached on (571) 272-3759. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Chat C. Do/
Primary Examiner, Art Unit 2193

August 13, 2008

Application/Control Number: 10/661,593
Art Unit: 2193

Page 11